Dart Aerospace Ltd. Thursday, 3/8/2007 12:37:22 PM Date Kim Johnston User: **Process Sheet Drawing Name** : PLUG : CU-DAR001 Dart Helicopters Services Customer Job Number : 31109 : 10178 **Estimate Number Part Number** : D25941 NA P.O. Number - D2594 REV C S.O. No. : NOT **Drawing Number** : 3/8/2007 This Issue : N/A Project Number Prsht Rev. Type : MACHINED PARTS **Drawing Revision** First Issue : 30140 Material Previous Run **Due Date** : 4/15/2007 500 Um: Written By Checked & Approved By Make in Cobra KJ : Est D 02.08.22 Comment est E 06.12.11 ecn 836 **Additional Product** Job Number: Description: Seq. #: 6061-T6 Round Bar .625" M6061T6R0625 1.0 Comment: Qty.: 0.0547 f(s)/Unit Total: 27.3525 f(s) Material: 5052-H32 (QQ-A-225/7) or 6061-T6 (QQ-A-225/8) 1100-0 (QQ-A-225/1) Ø0.625" Rod (M5052H32R0.625) or (M6061T6R0.625) HARDINGE Comment: HARDINGE CNC LATHE SMALL 1-Make as per Dwg D2594-1 and Folio FA262. 140 2-Break all sharp edges 0.010 max. 3.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 4.0 QC8 Comment: SECOND CHECK

HAND FINISHING RESOURCE #1

5.0

HAND FINISHING1

Comment: HAND FINISHING RESOURCE #1

Acid etch and alodine as per QSI 005 4.1

Each

# Dart Aerospace Ltd

W/O:			WORK ORDER CI	HANGES				
DATE	STEP	P	ROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Category:	NCR: Yes	NO DQ	A: [	Date:	07/08/30

QA: N/C Closed: \_\_\_\_ Date: \_

NCR:	WORK ORDER NON-CONFORMANCE (NCR)					÷		
		Corrective Action Section B				Verification Approva	Approval	Approval
DATE	TE STEP Description of NC Section A		Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto
								,
				*				
						-		

NOTE: Date & initial all entries

Thursday, 3/8/2007 12:37:22 PM Date: ປ່ຽer: Kim Johnston **Process Sheet** Drawing Name: PLUG Customer: CU-DAR001 Dart Helicopters Services Job Number: 31109 Part Number: D25941 Job Number: Description: Seq. #: **Machine Or Operation:** POWDER COATING 6.0 M 105068 Comment: POWDER COATING Powder Coat Gloss White (Ref: 4.3.5.1) per Dart QSI 005 4.3 (only larger dia. section necessary) INSPECT POWDER COAT/CHEMICAL CONVERSION 7.0. Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 8.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 9.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE W 57.08.30 Job Completion

Dart Ae	rospace L	td							
W/O:			WC	ORK ORDER CHANGI	ES				
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
			r						
Part No	:	PAR #:	Fault Cate	gory:					
NCR:			WORK ORDI	ER NON-CONFORMA			ed:	Date: _	
NCK:	<u> </u>							<u> </u>	T
DATE	STEP	<b>Description of NC</b> Section A	Initial Chief Eng	Corrective Action Section Action Description Chief Eng	Sig	1& Sec	cation tion C	Approval Chief Eng	Approval QC Inspector
									ı
			- 10						
						1			}

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	31109
Description: Plug	Part Number:	D2594-1
Inspection Dwg: D2594 Rev: C		Page 1 of 1

	FIRST ARTICLE INSPECTION CHECKLIST					
	X	First Arti	cle	Prot	otype	
Drawing	Tolerance	Actual		Reject	Method of	Comments
Dimension	Tolerance	Dimension	Accept	Reject	Inspection	Comments
0.060	+/-0.005	,060				
0.500	+/-0.010	1500				
0.625	+/-0.010	1500				
0.430	+0.000/-0.002	429				
0.090	+0.000/-0.002	1089				
0.045	+0.000/-0.002	1044				
					ie.	
:						
						·
	00		0		•	

	<b>\( \)</b>		
Measured by:	Audited by:	Prototype Approval:	N/A
Date: 07/08/13	Date: 07/08/17	Date:	


Rev	Date	Change	Revised by	Approved
Α	04.01.21	New Issue	KJ/RF	- 1
В	06.12.20	Dwg Rev. updated	KJ/JLM KJ	



DESIG	<sup>N</sup> #	DRAWN BY	DART AERO HAWKESBURY, ON	
CHECH	KED /	APPROVED,	DRAWING NO.	REV. C
	E		D2594	SHEET 1 OF 1
DATE			TITLE	SCALE
	06.1	11.20	PLUG	2:1
REV		DATE	DESCRI	PTION
Α		96.09.16	NEW ISSUE	
В		97.03.15	ADD GROOVE AND O-RI	NG
С		06.11.20	ADD PWDR COAT; ADD N	MS P/N TO D2594-3;

ADD AMS SPECS; ADD TOLERANCE NOTE

SCALE 4:1



0.500±0.010		CHAMFER 0.050 x 20°
0.060±0.005 — 0	0.060±0.005	625 0.090 +0.000 -0.002
	$\phi$	0.430+0.000
POWDER COAT		0.045+0.000
THESE FACES ONLY PER NOTE 2		
		DETAIL A

## D2594-1 PLUG

**D2594-1 PLUG NOTES:** 

- 1) MATERIAL: ALUMINUM 5052-H32 ROUND BAR PER QQ-A-225/7 (REF DART SPEC M5052H32R) OR ALUMINUM 6061-T6/T651/T6510/T6511/T62 ROUND BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116/4160 (REF DART SPEC M6061T6R)

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT SPECIFIED FACES WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES TO 0.010 MAX

D2594-3 O-RING NOTES:
1) 5/16 ID, 7/16 OD, 1/16 WIDTH
2) POSSIBLE SUPPLIER P/N: PARKER 2-011 OR MS28775-011



#### PARTS LIST:

QTY	P/N	DESCRIPTION
Х	D2594	PLUG ASSEMBLY
1	D2594-1	PLUG
1	D2594-3	O-RING



# **D2594 PLUG ASSEMBLY**

## **COPYRIGHT © 1996 BY DART AEROSPACE LTD**